



Estimated environmental impacts were calculated using the Environmental Paper Network's Paper Calculator(tm). When used publicly, it is required that the information is properly cited as "Environmental impact estimates were calculated using the Environmental Paper Network Paper Calculator Version 4.0. For more information visit www.papercalculator.org".

	ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED	ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN
Paper Type:	Linerboard	Linerboard
Quantity:	22.1343848 Pounds	22.1343848 Pounds
% Recycled:	100%	0%
 Wood Use	0 U.S. short tons	0.05 U.S. short tons <i>0.05 U.S. short tons more</i>
 Total Energy	0.2 million BTUs	0.3 million BTUs <i>0.2 million BTUs more</i>
 GHG	52.9 pounds CO ₂ equiv.	203 pounds CO ₂ equiv. <i>150.1 pounds CO₂ equiv. more</i>
 Water Usage	131 gallons	196 gallons <i>65 gallons more</i>
 Solid Waste	4.07 pounds	4.5 pounds <i>0.4 pounds more</i>
NITROGEN OXIDES (NO _x)	13.6 O ₃ equiv/m ^{3*}	6.5 O ₃ equiv/m ^{3*} <i>7.1 less</i>
PURCHASED ENERGY	0.2 million BTUs	0.2 million BTUs <i>0.03 million BTUs more</i>
PARTICULATES	6.1 PM _{2.5} equiv/m ^{3*}	2.7 PM _{2.5} equiv/m ^{3*} <i>3.4 less</i>
SULFUR DIOXIDE (SO ₂)	0.05 pounds	0.09 pounds <i>0.05 pounds more</i>
VOLATILE ORGANIC COMPOUNDS (VOCs)	0.001 pounds	0.002 pounds <i>0.001 pounds more</i>
TOTAL REDUCED SULFUR (TRS)	0.001 pounds	0.002 pounds <i>0.001 pounds more</i>
HAZARDOUS AIR POLLUTANTS (HAPs)	0.01 pounds	0.02 pounds <i>0.006 pounds more</i>
CHEMICAL OXYGEN DEMAND (COD)	0.2 pounds	0.3 pounds <i>0.1 pounds more</i>
BIOCHEMICAL OXYGEN DEMAND (BOD)	0.07 pounds	0.1 pounds <i>0.03 pounds more</i>
TOTAL SUSPENDED SOLIDS (TSS)	0.06 pounds	0.2 pounds <i>0.2 pounds more</i>
FOREST DISTURBANCE	0 acres	0.009 acres <i>0.009 acres more</i>

THREATENED SPECIES	0 species	11 species <i>11 more</i>
OCEAN ACIDIFICATION	15.4 pounds H ₂ CO ₃	46 pounds H ₂ CO ₃ <i>30.6 pounds more</i>
MERCURY EMISSIONS	0.3 milligrams	0.5 milligrams <i>0.1 milligrams more</i>
DIOXIN EMISSIONS	5.0 micrograms	13.7 micrograms <i>8.7 micrograms more</i>
FRESHWATER DISTURBANCE	See below	See below
HERBICIDES	See below	See below
OCEAN WARMING	See below	See below
WETLAND DISTURBANCE	See below	See below

Explanation of Data Values



Wood use measures the amount of wood required to produce a given amount of paper. Results are reported in fresh/green U.S. short tons of wood. The methodology does not include the forest residues left behind during pulpwood harvest in the forests (i.e., slash, roots). If forest residues were included it could be twice the number, as roughly 50% of biomass is left after harvest.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED uses 0 U.S. short tons, made from about 0 trees
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.05 U.S. short tons, made from about 0.271 trees
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.05 U.S. short tons more



Total energy measures all energy required over the paper's life cycle, including all renewable and nonrenewable resource use, including black liquor and all wood sources.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED uses 0.2 million BTUs, equivalent to 0.2 residential refrigerators operated/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.3 million BTUs, equivalent to 0.4 residential refrigerators operated/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.2 million BTUs more, a difference of 0.2 residential refrigerators operated/year



Greenhouse gases/climate change impacts measures carbon dioxide or CO₂ from burning fossil fuels, methane from paper decomposing in landfills and short-lived climate pollutants (such as black carbon and organic carbon) which contribute to climate change by trapping energy from the sun in the earth's atmosphere. This impact category also includes forest carbon storage loss from logged forests.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 52.9 pounds of CO₂ equiv., equivalent to 0.005 cars/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 203 pounds of CO₂ equiv., equivalent to 0.02 cars/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 150.1 pounds CO₂ equiv. more, a difference of 0.01 cars/year



Water consumption measures the amount of process and cooling water that is consumed or degraded throughout the life cycle of the paper product.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED uses 131 gallons, equivalent to 0.09 clothes washers operated/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 196 gallons, equivalent to 0.1 clothes washers operated/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 65 gallons more, a difference of 0.05 clothes washers operated/year



Solid waste measures sludge and other wastes generated during pulp and paper manufacturing, and used paper disposed of in landfills and incinerators.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 4.07 pounds of solid waste, equivalent to 0.9 people generating solid waste/day
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 4.5 pounds of solid waste, equivalent to 1.02 people generating solid waste/day
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.4 pounds more, a difference of 0.09 people generating solid waste/day

Nitrogen oxides/ground level ozone (NO_x , which includes NO and NO_2) measures products of the combustion of fuels that contain nitrogen. NO_x can react with volatile organic compounds and sunlight in the lower atmosphere to form ozone, a key component of urban smog. NO_x forms ozone and can also, in parallel, lead to acid rain. *The measurement of NO_x in this calculator is a complex equation that takes into account human exposure across a sample of locations of pulp and paper mills. For more information please see the *Methodology* document under the Resources tab of this website (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 13.6 persons x hrs. x pounds O_3 equiv/ m^3 , equivalent to 0.02 gasoline powered passenger cars/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 6.5 persons x hrs. x pounds O_3 equiv/ m^3 , equivalent to 0.008 gasoline powered passenger cars/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 7.1 persons x hrs. x pounds O_3 equiv/ m^3 less, a difference of 0.009 gasoline powered passenger cars/year

Purchased energy is a subset of total energy, and measures how much energy comes from purchased electricity and other fuels.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED uses 0.2 million BTUs, equivalent to 0.2 residential refrigerators operated/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.2 million BTUs, equivalent to 0.2 residential refrigerators operated/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.03 million BTUs more, a difference of 0.03 residential refrigerators operated/year

Particulates/ $\text{PM}_{2.5}$ impacts measures the effect of particulate matter (PM) emissions from pulp/paper production, contributing to smog. Particulates are small airborne particles generated during combustion, and pose a range of health risks, including asthma and other respiratory problems, when inhaled. *The measurement of particulates in this calculator is a complex equation that takes into account human exposure across a sample of locations of pulp and paper mills. For more information please see the *Methodology* document under the Resources tab of this website (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 6.1 persons x hrs. x pounds $\text{PM}_{2.5}$ equiv/ m^3 , equivalent to 0.2 gasoline powered passenger cars/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 2.7 persons x hrs. x pounds $\text{PM}_{2.5}$ equiv/ m^3 , equivalent to 0.1 gasoline powered passenger cars/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 3.4 persons x hrs. x pounds $\text{PM}_{2.5}$ equiv/ m^3 less, a difference of 0.1 gasoline powered passenger cars/year

Sulfur Dioxide (SO_2) and other acidifying emissions/regional acidification measures chemical compounds such as sulfur dioxide, nitrogen oxides, and other acids (e.g. ammonia) that are produced when boilers burn fuel containing sulfur and other acid-producing substances. Of the fuels used in the paper industry, oil and coal generally contain the highest quantities of sulfur. These acidifying emissions contribute to air pollution problems like acid rain and smog. This category includes SO_2 emissions, but also other acids and emissions like NO_x .

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.05 pounds SO_2 equiv., equivalent to 0.02 eighteen-wheelers/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.09 pounds SO_2 equiv., equivalent to 0.03 eighteen-wheelers/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.05 pounds SO_2 equiv. more, a difference of 0.02 eighteen-wheelers/year

Volatile organic compounds (VOCs) measure a broad class of organic gases, such as vapors from solvent and gasoline. VOCs react with nitrogen oxides (NO_x) in the atmosphere to form ground-level ozone, the major component of smog and a severe lung irritant.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.001 pounds, equivalent to 3.3 miles driven in a car/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.002 pounds, equivalent to 7.7 miles driven in a car/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.001 pounds more, a difference of 4.4 miles driven in a car/year

Total reduced sulfur (TRS) measures emissions of the compounds that cause the odor associated with kraft pulp mills. Exposure to TRS emissions has been linked to symptoms including headaches, watery eyes, nasal problems, and breathing difficulties.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.001 pounds
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.002 pounds
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.001 pounds more

Hazardous air pollutants (HAPs) measures any of a group of 188 substances identified in the 1990 U.S. Clean Air Act amendments because of their toxicity. Two of the most common occurring in air are formaldehyde and acrolein.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.01 pounds, equivalent to 0.003 passenger cars/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.02 pounds, equivalent to 0.004 passenger cars/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.006 pounds more, a difference of 0.001 passenger cars/year

Chemical oxygen demand (COD) measures the amount of oxidizable organic matter in the mill's effluent. Since wastewater treatment removes most of the organic material that would be degraded naturally in the receiving waters, the COD of the final effluent provides information about the quantity of more persistent substances discharged into the receiving water.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.2 pounds COD, equivalent to 0.001 homes/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.3 pounds COD, equivalent to 0.002 homes/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.1 pounds more, a difference of 0.001 homes/year

Biochemical oxygen demand (BOD) measures the amount of oxygen that microorganisms consume to degrade the organic material in the wastewater. Discharging wastewater with high levels of BOD can result in oxygen depletion in the receiving waters, which can adversely affect fish and other organisms.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.07 pounds BOD, equivalent to 0 homes/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.1 pounds BOD, equivalent to 0.001 homes/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.03 pounds more, a difference of 0 homes/year

Total Suspended Solids (TSS)/Freshwater eutrophication measures solid materials suspended in mill effluent, which can adversely affect bottom-living organisms upon settling in receiving waters and can carry toxic heavy metals and organic compounds into the environment.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.06 pounds TSS, equivalent to 0 homes/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.2 pounds TSS, equivalent to 0.001 homes/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.2 pounds more, a difference of 0.001 homes/year

Forest disturbance measures the impact of paper production on forest ecosystems and biodiversity. The indicator compares the ecosystem integrity of a harvested site to intact forests over 80 years old in the region, using on-the-ground measurements. It also considers the recovery potential which would be possible on the site if harvesting were halted, reflecting the long-term implication of forest management at suppressing ecosystem integrity.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED disturbs 0 acres, equivalent to the size of 0 football fields
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN disturbs 0.009 acres, equivalent to the size of 0.007 football fields
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN uses 0.009 acres more

Threatened species measures the possible number of species affected by logging for paper production in the North American

region that are listed as Critically Endangered, Endangered, or Vulnerable in the IUCN Red List of Threatened Species (<http://www.iucnredlist.org>), though the exact impact will vary by forest of origin. The number of species is based on correlation with logging threats assessed by IUCN and the fiber basket of pulp and paper mills in the region. For more information see the Methodology Document (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED impacts 0 species
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN impacts 11 species
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN impacts 11 more

Ocean acidification measures increased ocean acidity caused by CO₂, which has detrimental consequences for many marine organisms. This indicator considers CO₂ emitted during the production of pulp and paper, but also evaluates the amount of CO₂ that could be sequestered in trees if forest harvests used for papermaking were halted.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 15.4 pounds H₂CO₃, equivalent to 0.004 cars/year
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 46 pounds H₂CO₃, equivalent to 0.01 cars/year
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 30.6 pounds H₂CO₃ more, a difference of 0.008 cars/year

Mercury emissions measure the amount of emissions during the production of pulp and paper. Mercury is a very toxic substance that persists in the environment for long periods of time. Emissions can therefore lead to contamination in the environment, including freshwater bodies and oceanic systems, subsequently exposing flora and fauna to elevated concentrations.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 0.3 milligrams, equivalent to 0.08 compact fluorescent lights
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.5 milligrams, equivalent to 0.1 compact fluorescent lights
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 0.1 milligrams more, a difference of 0.03 compact fluorescent lights

Dioxin emissions measure the amount of dioxin emissions that are released to air and water from pulp and paper mills. Dioxins are persistent and bioaccumulative, and even small amounts of emission can contaminate local waterways and bioaccumulate in fish.

- ECO TRANSPARENT PAPER POLYBAG - 100% RECYCLED produces 5.0 micrograms
- ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 13.7 micrograms
ECO TRANSPARENT PAPER POLYBAG - 100% VIRGIN produces 8.7 micrograms more

Freshwater disturbance measures the number of freshwater systems possibly affected by logging. Logging can impact streams, rivers and creeks by increasing erosion, removing riverside vegetation and removing large woody debris that many fish species require for habitat. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported here as relevant to pulp/paper production, although results cannot be evaluated at this time.

Herbicides measures the amount of toxic herbicides used in growing trees for paper production. Herbicides are applied to control the spread of non-desirable species. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

Ocean warming measures increased ocean temperatures linked to emissions of greenhouse gases. Although this impact is important and relevant to emissions and foregone growth from logging, no algorithm is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

Wetland disturbance measures the acreage of wetlands possibly affected by logging. Logging can increase erosion, which will cause changes in the sediment, temperature and other characteristics of wetlands. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

Methodology document under the "Resources" tab of this website (<https://c.environmentalpaper.org/resources.html>) or contact us at info@environmentalpaper.org.
