

Estimated environmental impacts were calculated using the Environmental Paper Network's Paper Calculator(tm). When used publicly, it is required that the information is properly cited as "Environmental impact estimates were calculated using the Environmental Paper Network Paper Calculator Version 4.0. For more information visit www.papercalculator.org".

	ECO SLEEVES - 100% RECYCLED	ECO SLEEVES - 100% VIRGIN
Paper Type:	Linerboard	Linerboard
Quantity:	63.93398 Pounds	63.93398 Pounds
% Recycled:	100%	0%
 Wood Use	0 U.S. short tons	0.1 U.S. short tons <i>0.1 U.S. short tons more</i>
 Total Energy	0.4 million BTUs	0.9 million BTUs <i>0.5 million BTUs more</i>
 GHG	153 pounds CO ₂ equiv.	585 pounds CO ₂ equiv. <i>432 pounds CO₂ equiv. more</i>
 Water Usage	378 gallons	566 gallons <i>188 gallons more</i>
 Solid Waste	11.7 pounds	12.9 pounds <i>1.2 pounds more</i>
NITROGEN OXIDES (NO _x)	39.2 O ₃ equiv/m ³ *	18.6 O ₃ equiv/m ³ * <i>20.6 less</i>
PURCHASED ENERGY	0.4 million BTUs	0.5 million BTUs <i>0.08 million BTUs more</i>
PARTICULATES	17.7 PM _{2.5} equiv/m ³ *	7.8 PM _{2.5} equiv/m ³ * <i>9.9 less</i>
SULFUR DIOXIDE (SO ₂)	0.1 pounds	0.3 pounds <i>0.1 pounds more</i>
VOLATILE ORGANIC COMPOUNDS (VOCs)	0.002 pounds	0.005 pounds <i>0.003 pounds more</i>
TOTAL REDUCED SULFUR (TRS)	0.003 pounds	0.007 pounds <i>0.003 pounds more</i>
HAZARDOUS AIR POLLUTANTS (HAPs)	0.04 pounds	0.06 pounds <i>0.02 pounds more</i>
CHEMICAL OXYGEN DEMAND (COD)	0.6 pounds	0.8 pounds <i>0.3 pounds more</i>
BIOCHEMICAL OXYGEN DEMAND (BOD)	0.2 pounds	0.3 pounds <i>0.09 pounds more</i>
TOTAL SUSPENDED SOLIDS (TSS)	0.2 pounds	0.6 pounds <i>0.4 pounds more</i>
FOREST DISTURBANCE	0 acres	0.03 acres <i>0.03 acres more</i>

THREATENED SPECIES	0 species	11 species <i>11 more</i>
OCEAN ACIDIFICATION	44.5 pounds H ₂ CO ₃	133 pounds H ₂ CO ₃ <i>88.5 pounds more</i>
MERCURY EMISSIONS	1.0 milligrams	1.4 milligrams <i>0.4 milligrams more</i>
DIOXIN EMISSIONS	14.4 micrograms	39.5 micrograms <i>25.1 micrograms more</i>
FRESHWATER DISTURBANCE	See below	See below
HERBICIDES	See below	See below
OCEAN WARMING	See below	See below
WETLAND DISTURBANCE	See below	See below

Explanation of Data Values



Wood use measures the amount of wood required to produce a given amount of paper. Results are reported in fresh/green U.S. short tons of wood. The methodology does not include the forest residues left behind during pulpwood harvest in the forests (i.e., slash, roots). If forest residues were included it could be twice the number, as roughly 50% of biomass is left after harvest.

- ECO SLEEVES - 100% RECYCLED uses 0 U.S. short tons, made from about 0 trees
- ECO SLEEVES - 100% VIRGIN uses 0.1 U.S. short tons, made from about 0.783 trees
ECO SLEEVES - 100% VIRGIN uses 0.1 U.S. short tons more



Total energy measures all energy required over the paper's life cycle, including all renewable and nonrenewable resource use, including black liquor and all wood sources.

- ECO SLEEVES - 100% RECYCLED uses 0.4 million BTUs, equivalent to 0.5 residential refrigerators operated/year
- ECO SLEEVES - 100% VIRGIN uses 0.9 million BTUs, equivalent to 1.1 residential refrigerators operated/year
ECO SLEEVES - 100% VIRGIN uses 0.5 million BTUs more, a difference of 0.6 residential refrigerators operated/year



Greenhouse gases/climate change impacts measures carbon dioxide or CO₂ from burning fossil fuels, methane from paper decomposing in landfills and short-lived climate pollutants (such as black carbon and organic carbon) which contribute to climate change by trapping energy from the sun in the earth's atmosphere. This impact category also includes forest carbon storage loss from logged forests.

- ECO SLEEVES - 100% RECYCLED produces 153 pounds of CO₂ equiv., equivalent to 0.01 cars/year
- ECO SLEEVES - 100% VIRGIN produces 585 pounds of CO₂ equiv., equivalent to 0.05 cars/year
ECO SLEEVES - 100% VIRGIN produces 432 pounds CO₂ equiv. more, a difference of 0.04 cars/year



Water consumption measures the amount of process and cooling water that is consumed or degraded throughout the life cycle of the paper product.

- ECO SLEEVES - 100% RECYCLED uses 378 gallons, equivalent to 0.3 clothes washers operated/year
- ECO SLEEVES - 100% VIRGIN uses 566 gallons, equivalent to 0.4 clothes washers operated/year
ECO SLEEVES - 100% VIRGIN uses 188 gallons more, a difference of 0.1 clothes washers operated/year



Solid waste measures sludge and other wastes generated during pulp and paper manufacturing, and used paper disposed of in landfills and incinerators.

- ECO SLEEVES - 100% RECYCLED produces 11.7 pounds of solid waste, equivalent to 2.7 people generating solid waste/day
- ECO SLEEVES - 100% VIRGIN produces 12.9 pounds of solid waste, equivalent to 3.0 people generating solid waste/day
ECO SLEEVES - 100% VIRGIN produces 1.2 pounds more, a difference of 0.3 people generating solid waste/day

Nitrogen oxides/ground level ozone (NO_x, which includes NO and NO₂) measures products of the combustion of fuels that contain nitrogen. NO_x can react with volatile organic compounds and sunlight in the lower atmosphere to form ozone, a key component of urban smog. NO_x forms ozone and can also, in parallel, lead to acid rain. *The measurement of NO_x in this calculator is a complex equation that takes into account human exposure across a sample of locations of pulp and paper mills. For more information please see the *Methodology* document under the Resources tab of this website (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO SLEEVES - 100% RECYCLED produces 39.2 persons x hrs. x pounds O₃ equiv/m³, equivalent to 0.05 gasoline powered passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 18.6 persons x hrs. x pounds O₃ equiv/m³, equivalent to 0.02 gasoline powered passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 20.6 persons x hrs. x pounds O₃ equiv/m³ less, a difference of 0.03 gasoline powered passenger cars/year

Purchased energy is a subset of total energy, and measures how much energy comes from purchased electricity and other fuels.

- ECO SLEEVES - 100% RECYCLED uses 0.4 million BTUs, equivalent to 0.5 residential refrigerators operated/year
- ECO SLEEVES - 100% VIRGIN uses 0.5 million BTUs, equivalent to 0.6 residential refrigerators operated/year
- ECO SLEEVES - 100% VIRGIN uses 0.08 million BTUs more, a difference of 0.1 residential refrigerators operated/year

Particulates/PM_{2.5} impacts measures the effect of particulate matter (PM) emissions from pulp/paper production, contributing to smog. Particulates are small airborne particles generated during combustion, and pose a range of health risks, including asthma and other respiratory problems, when inhaled. *The measurement of particulates in this calculator is a complex equation that takes into account human exposure across a sample of locations of pulp and paper mills. For more information please see the *Methodology* document under the Resources tab of this website (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO SLEEVES - 100% RECYCLED produces 17.7 persons x hrs. x pounds PM_{2.5} equiv/m³, equivalent to 0.7 gasoline powered passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 7.8 persons x hrs. x pounds PM_{2.5} equiv/m³, equivalent to 0.3 gasoline powered passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 9.9 persons x hrs. x pounds PM_{2.5} equiv/m³ less, a difference of 0.4 gasoline powered passenger cars/year

Sulfur Dioxide (SO₂) and other acidifying emissions/regional acidification measures chemical compounds such as sulfur dioxide, nitrogen oxides, and other acids (e.g. ammonia) that are produced when boilers burn fuel containing sulfur and other acid-producing substances. Of the fuels used in the paper industry, oil and coal generally contain the highest quantities of sulfur. These acidifying emissions contribute to air pollution problems like acid rain and smog. This category includes SO₂ emissions, but also other acids and emissions like NO_x.

- ECO SLEEVES - 100% RECYCLED produces 0.1 pounds SO₂ equiv., equivalent to 0.04 eighteen-wheelers/year
- ECO SLEEVES - 100% VIRGIN produces 0.3 pounds SO₂ equiv., equivalent to 0.09 eighteen-wheelers/year
- ECO SLEEVES - 100% VIRGIN produces 0.1 pounds SO₂ equiv. more, a difference of 0.04 eighteen-wheelers/year

Volatile organic compounds (VOCs) measure a broad class of organic gases, such as vapors from solvent and gasoline. VOCs react with nitrogen oxides (NO_x) in the atmosphere to form ground-level ozone, the major component of smog and a severe lung irritant.

- ECO SLEEVES - 100% RECYCLED produces 0.002 pounds, equivalent to 9.6 miles driven in a car/year
- ECO SLEEVES - 100% VIRGIN produces 0.005 pounds, equivalent to 22.3 miles driven in a car/year
- ECO SLEEVES - 100% VIRGIN produces 0.003 pounds more, a difference of 12.7 miles driven in a car/year

Total reduced sulfur (TRS) measures emissions of the compounds that cause the odor associated with kraft pulp mills. Exposure to TRS emissions has been linked to symptoms including headaches, watery eyes, nasal problems, and breathing difficulties.

- ECO SLEEVES - 100% RECYCLED produces 0.003 pounds
- ECO SLEEVES - 100% VIRGIN produces 0.007 pounds
- ECO SLEEVES - 100% VIRGIN produces 0.003 pounds more

Hazardous air pollutants (HAPs) measures any of a group of 188 substances identified in the 1990 U.S. Clean Air Act

amendments because of their toxicity. Two of the most common occurring in air are formaldehyde and acrolein.

- ECO SLEEVES - 100% RECYCLED produces 0.04 pounds, equivalent to 0.008 passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 0.06 pounds, equivalent to 0.01 passenger cars/year
- ECO SLEEVES - 100% VIRGIN produces 0.02 pounds more, a difference of 0.003 passenger cars/year

Chemical oxygen demand (COD) measures the amount of oxidizable organic matter in the mill's effluent. Since wastewater treatment removes most of the organic material that would be degraded naturally in the receiving waters, the COD of the final effluent provides information about the quantity of more persistent substances discharged into the receiving water.

- ECO SLEEVES - 100% RECYCLED produces 0.6 pounds COD, equivalent to 0.003 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.8 pounds COD, equivalent to 0.005 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.3 pounds more, a difference of 0.002 homes/year

Biochemical oxygen demand (BOD) measures the amount of oxygen that microorganisms consume to degrade the organic material in the wastewater. Discharging wastewater with high levels of BOD can result in oxygen depletion in the receiving waters, which can adversely affect fish and other organisms.

- ECO SLEEVES - 100% RECYCLED produces 0.2 pounds BOD, equivalent to 0.001 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.3 pounds BOD, equivalent to 0.002 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.09 pounds more, a difference of 0.001 homes/year

Total Suspended Solids (TSS)/Freshwater eutrophication measures solid materials suspended in mill effluent, which can adversely affect bottom-living organisms upon settling in receiving waters and can carry toxic heavy metals and organic compounds into the environment.

- ECO SLEEVES - 100% RECYCLED produces 0.2 pounds TSS, equivalent to 0.001 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.6 pounds TSS, equivalent to 0.003 homes/year
- ECO SLEEVES - 100% VIRGIN produces 0.4 pounds more, a difference of 0.002 homes/year

Forest disturbance measures the impact of paper production on forest ecosystems and biodiversity. The indicator compares the ecosystem integrity of a harvested site to intact forests over 80 years old in the region, using on-the-ground measurements. It also considers the recovery potential which would be possible on the site if harvesting were halted, reflecting the long-term implication of forest management at suppressing ecosystem integrity.

- ECO SLEEVES - 100% RECYCLED disturbs 0 acres, equivalent to the size of 0 football fields
- ECO SLEEVES - 100% VIRGIN disturbs 0.03 acres, equivalent to the size of 0.02 football fields
- ECO SLEEVES - 100% VIRGIN uses 0.03 acres more

Threatened species measures the possible number of species affected by logging for paper production in the North American region that are listed as Critically Endangered, Endangered, or Vulnerable in the IUCN Red List of Threatened Species (<http://www.iucnredlist.org>), though the exact impact will vary by forest of origin. The number of species is based on correlation with logging threats assessed by IUCN and the fiber basket of pulp and paper mills in the region. For more information see the Methodology Document (<https://c.environmentalpaper.org/pdf/SCS-EPN-PC-Methods.pdf>).

- ECO SLEEVES - 100% RECYCLED impacts 0 species
- ECO SLEEVES - 100% VIRGIN impacts 11 species
- ECO SLEEVES - 100% VIRGIN impacts 11 more

Ocean acidification measures increased ocean acidity caused by CO₂, which has detrimental consequences for many marine organisms. This indicator considers CO₂ emitted during the production of pulp and paper, but also evaluates the amount of CO₂ that could be sequestered in trees if forest harvests used for papermaking were halted.

- ECO SLEEVES - 100% RECYCLED produces 44.5 pounds H₂CO₃, equivalent to 0.01 cars/year
- ECO SLEEVES - 100% VIRGIN produces 133 pounds H₂CO₃, equivalent to 0.03 cars/year
- ECO SLEEVES - 100% VIRGIN produces 88.5 pounds H₂CO₃ more, a difference of 0.02 cars/year

Mercury emissions measure the amount of emissions during the production of pulp and paper. Mercury is a very toxic substance that persists in the environment for long periods of time. Emissions can therefore lead to contamination in the environment, including freshwater bodies and oceanic systems, subsequently exposing flora and fauna to elevated concentrations.

- ECO SLEEVES - 100% RECYCLED produces 1.0 milligrams, equivalent to 0.2 compact fluorescent lights
- ECO SLEEVES - 100% VIRGIN produces 1.4 milligrams, equivalent to 0.3 compact fluorescent lights
- ECO SLEEVES - 100% VIRGIN produces 0.4 milligrams more, a difference of 0.1 compact fluorescent lights

Dioxin emissions measure the amount of dioxin emissions that are released to air and water from pulp and paper mills. Dioxins are persistent and bioaccumulative, and even small amounts of emission can contaminate local waterways and bioaccumulate in fish.

- ECO SLEEVES - 100% RECYCLED produces 14.4 micrograms
- ECO SLEEVES - 100% VIRGIN produces 39.5 micrograms
- ECO SLEEVES - 100% VIRGIN produces 25.1 micrograms more

Freshwater disturbance measures the number of freshwater systems possibly affected by logging. Logging can impact streams, rivers and creeks by increasing erosion, removing riverside vegetation and removing large woody debris that many fish species require for habitat. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported here as relevant to pulp/paper production, although results cannot be evaluated at this time.

Herbicides measures the amount of toxic herbicides used in growing trees for paper production. Herbicides are applied to control the spread of non-desirable species. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

Ocean warming measures increased ocean temperatures linked to emissions of greenhouse gases. Although this impact is important and relevant to emissions and foregone growth from logging, no algorithm is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

Wetland disturbance measures the acreage of wetlands possibly affected by logging. Logging can increase erosion, which will cause changes in the sediment, temperature and other characteristics of wetlands. Although this impact is important and relevant, no data is currently available to calculate results. Reflecting the critical nature of this impact category, it is reported as relevant to pulp/paper production, although results cannot be evaluated at this time.

If you have questions or would like more information about Paper Calculator V4.0, please see the Life Cycle Assessment Methodology document under the "Resources" tab of this website (<https://c.environmentalpaper.org/resources.html>) or contact us at info@environmentalpaper.org.
